

Jan 1 01:01:00 (none) local2.info pppd[1650]: Sent 21963 bytes, received 29202 bytes.  
Jan 1 01:01:00 (none) daemon.notice miniupnpd[2031]: received signal 15, good-bye  
Jan 1 01:01:08 (none) local2.debug pppd[1650]: Script /etc/ppp/ip-down started (pid 11131)  
Jan 1 01:01:08 (none) local2.debug pppd[1650]: CCP: Down event in state 1!  
Jan 1 01:01:08 (none) local2.debug pppd[1650]: sent [LCP TermAck id=0x4]  
Jan 1 01:01:08 (none) local2.debug pppd[1650]: rcvd [LCP TermReq id=0x5]  
Jan 1 01:01:08 (none) local2.debug pppd[1650]: sent [LCP TermAck id=0x5]  
Jan 1 01:01:08 (none) local2.debug pppd[1650]: Script /etc/ppp/ip-down finished (pid 11131), status = 0x0  
Jan 1 01:01:11 (none) local2.notice pppd[1650]: Connection terminated.  
Jan 1 01:01:11 (none) local2.info chat[11137]: send (\K^M)  
Jan 1 01:01:12 (none) local2.info chat[11137]: send (+++ATH0^M)  
Jan 1 01:01:12 (none) local2.info pppd[1650]: Serial link disconnected.  
Jan 1 01:01:21 (none) local2.notice pppd[1650]: Connection terminated.  
Jan 1 01:01:21 (none) local2.notice pppd[1650]: Modem hangup  
Jan 1 01:01:21 (none) local2.debug pppd[1650]: LCP: Down event in state 1!  
Jan 1 01:01:21 (none) local2.info pppd[1650]: Exit.  
Jan 1 01:01:35 (none) local2.notice pppd[11225]: pppd 2.4.4 started by root, uid 0  
Jan 1 01:01:36 (none) local2.info chat[11229]: abort on (BUSY)  
Jan 1 01:01:36 (none) local2.info chat[11229]: abort on (NO CARRIER)  
Jan 1 01:01:36 (none) local2.info chat[11229]: abort on (ERROR)  
Jan 1 01:01:36 (none) local2.info chat[11229]: report (CONNECT)  
Jan 1 01:01:36 (none) local2.info chat[11229]: timeout set to 10 seconds  
Jan 1 01:01:36 (none) local2.info chat[11229]: send (ATZ^M)  
Jan 1 01:01:36 (none) local2.info chat[11229]: expect (OK)  
Jan 1 01:01:36 (none) local2.info chat[11229]: ^M  
Jan 1 01:01:36 (none) local2.info chat[11229]: OK  
Jan 1 01:01:36 (none) local2.info chat[11229]: -- got it  
Jan 1 01:01:36 (none) local2.info chat[11229]: send (ATE0V1&F^M)  
Jan 1 01:01:36 (none) local2.info chat[11229]: expect (OK)  
Jan 1 01:01:36 (none) local2.info chat[11229]: ^M  
Jan 1 01:01:36 (none) local2.info chat[11229]: ATE0V1&F^M^M  
Jan 1 01:01:36 (none) local2.info chat[11229]: OK  
Jan 1 01:01:36 (none) local2.info chat[11229]: -- got it  
Jan 1 01:01:36 (none) local2.info chat[11229]: send (AT+CMEE=2^M)  
Jan 1 01:01:36 (none) local2.info chat[11229]: expect (OK)  
Jan 1 01:01:36 (none) local2.info chat[11229]: ^M  
Jan 1 01:01:36 (none) local2.info chat[11229]: ^M  
Jan 1 01:01:36 (none) local2.info chat[11229]: OK  
Jan 1 01:01:36 (none) local2.info chat[11229]: -- got it  
Jan 1 01:01:36 (none) local2.info chat[11229]: send (AT+CGDCONT=1,"IP","darmowy","",0,0^M)  
Jan 1 01:01:37 (none) local2.info chat[11229]: timeout set to 30 seconds  
Jan 1 01:01:37 (none) local2.info chat[11229]: expect (OK)  
Jan 1 01:01:37 (none) local2.info chat[11229]: ^M  
Jan 1 01:01:37 (none) local2.info chat[11229]: ^M  
Jan 1 01:01:37 (none) local2.info chat[11229]: OK  
Jan 1 01:01:37 (none) local2.info chat[11229]: -- got it  
Jan 1 01:01:37 (none) local2.info chat[11229]: send (ATD\*99#^M)  
Jan 1 01:01:37 (none) local2.info chat[11229]: expect (CONNECT)  
Jan 1 01:01:37 (none) local2.info chat[11229]: ^M  
Jan 1 01:01:37 (none) local2.info chat[11229]: ^M  
Jan 1 01:01:37 (none) local2.info chat[11229]: CONNECT  
Jan 1 01:01:37 (none) local2.info chat[11229]: -- got it  
Jan 1 01:01:37 (none) local2.info chat[11229]: send ( ^M)  
Jan 1 01:01:37 (none) local2.info pppd[11225]: Serial connection established.  
Jan 1 01:01:37 (none) local2.debug pppd[11225]: using channel 2  
Jan 1 01:01:37 (none) local2.info pppd[11225]: Using interface ppp4  
Jan 1 01:01:37 (none) local2.notice pppd[11225]: Connect: ppp4 <--> /dev/ttyUSB0  
Jan 1 01:01:40 (none) local2.debug pppd[11225]: sent [LCP ConfReq id=0x1 <mru 1412> <asyncmap 0x0> <magic 0xbfb0a8a> <pcomp> <accomp>]  
Jan 1 01:01:40 (none) local2.debug pppd[11225]: rcvd [LCP ConfReq id=0x6 <asyncmap 0x0> <auth chap MD5> <magic 0x12bd0f9> <pcomp> <accomp>]  
Jan 1 01:01:40 (none) local2.debug pppd[11225]: No auth is possible  
Jan 1 01:01:40 (none) local2.debug pppd[11225]: lcp\_reqci: returning CONFREJ.  
Jan 1 01:01:40 (none) local2.debug pppd[11225]: sent [LCP ConfReq id=0x6 <auth chap MD5>]  
Jan 1 01:01:40 (none) local2.debug pppd[11225]: rcvd [LCP ConfAck id=0x1 <mru 1412> <asyncmap 0x0> <magic 0xbfb0a8a> <pcomp> <accomp>]  
Jan 1 01:01:40 (none) local2.debug pppd[11225]: rcvd [LCP ConfReq id=0x7 <asyncmap 0x0> <magic 0x12bd0f9> <pcomp> <accomp>]  
Jan 1 01:01:40 (none) local2.debug pppd[11225]: lcp\_reqci: returning CONFACK.  
Jan 1 01:01:40 (none) local2.debug pppd[11225]: sent [LCP ConfAck id=0x7 <asyncmap 0x0> <magic 0x12bd0f9> <pcomp> <accomp>]  
Jan 1 01:01:40 (none) local2.debug pppd[11225]: sent [CCP ConfReq id=0x1 <bsd v1 15>]  
Jan 1 01:01:40 (none) local2.debug pppd[11225]: sent [IPCP ConfReq id=0x1 <addr 0.0.0.0> <ms-dns1 0.0.0.0> <ms-dns2 0.0.0.0>]  
Jan 1 01:01:40 (none) local2.debug pppd[11225]: rcvd [LCP DiscReq id=0x8 magic=0x12bd0f9]  
Jan 1 01:01:40 (none) local2.debug pppd[11225]: rcvd [LCP ProtRej id=0x9 80 fd 01 01 00 07 15 03 2f]  
Jan 1 01:01:40 (none) local2.debug pppd[11225]: Protocol-Reject for 'Compression Control Protocol' (0x80fd) received  
Jan 1 01:01:41 (none) local2.debug pppd[11225]: rcvd [IPCP ConfNak id=0x1 <ms-dns1 0.0.0.0> <ms-dns2 0.0.0.0>]  
Jan 1 01:01:41 (none) local2.debug pppd[11225]: sent [IPCP ConfReq id=0x2 <addr 0.0.0.0> <ms-dns1 0.0.0.0> <ms-dns2 0.0.0.0>]  
Jan 1 01:01:42 (none) local2.debug pppd[11225]: rcvd [IPCP ConfNak id=0x2 <ms-dns1 0.0.0.0> <ms-dns2 0.0.0.0>]  
Jan 1 01:01:42 (none) local2.debug pppd[11225]: sent [IPCP ConfReq id=0x3 <addr 0.0.0.0> <ms-dns1 0.0.0.0> <ms-dns2 0.0.0.0>]  
Jan 1 01:01:43 (none) local2.debug pppd[11225]: rcvd [IPCP ConfNak id=0x3 <ms-dns1 0.0.0.0> <ms-dns2 0.0.0.0>]  
Jan 1 01:01:43 (none) local2.debug pppd[11225]: sent [IPCP ConfReq id=0x4 <addr 0.0.0.0> <ms-dns1 0.0.0.0> <ms-dns2 0.0.0.0>]  
Jan 1 01:01:44 (none) local2.debug pppd[11225]: rcvd [IPCP ConfNak id=0x4 <ms-dns1 0.0.0.0> <ms-dns2 0.0.0.0>]

Jan 1 01:01:44 (none) local2.debug pppd[11225]: sent [IPCP ConfReq id=0x5 <addr 0.0.0.0> <ms-dns1 0.0.0.0> <ms-dns2 0.0.0.0>]  
Jan 1 01:01:45 (none) local2.debug pppd[11225]: rcvd [IPCP ConfReq id=0x2]  
Jan 1 01:01:45 (none) local2.debug pppd[11225]: ipcp: returning Configure-NAK  
Jan 1 01:01:45 (none) local2.debug pppd[11225]: sent [IPCP ConfNak id=0x2 <addr 0.0.0.0>]  
Jan 1 01:01:45 (none) local2.debug pppd[11225]: rcvd [IPCP ConfNak id=0x5 <addr 151.248.47.3> <ms-dns1 193.41.112.14> <ms-dns2 193.41.112.18>]  
Jan 1 01:01:45 (none) local2.debug pppd[11225]: sent [IPCP ConfReq id=0x6 <addr 151.248.47.3> <ms-dns1 193.41.112.14> <ms-dns2 193.41.112.18>]  
Jan 1 01:01:45 (none) local2.debug pppd[11225]: rcvd [IPCP ConfReq id=0x3]  
Jan 1 01:01:45 (none) local2.debug pppd[11225]: ipcp: returning Configure-AK  
Jan 1 01:01:45 (none) local2.debug pppd[11225]: sent [IPCP ConfAck id=0x3]  
Jan 1 01:01:45 (none) local2.debug pppd[11225]: rcvd [IPCP ConfAck id=0x6 <addr 151.248.47.3> <ms-dns1 193.41.112.14> <ms-dns2 193.41.112.18>]  
Jan 1 01:01:45 (none) local2.debug pppd[11225]: ipcp: up  
Jan 1 01:01:45 (none) local2.warn pppd[11225]: Could not determine remote IP address: defaulting to 10.64.64.68  
Jan 1 01:01:45 (none) local2.notice pppd[11225]: local IP address 151.248.47.3  
Jan 1 01:01:45 (none) local2.notice pppd[11225]: remote IP address 10.64.64.68  
Jan 1 01:01:45 (none) local2.notice pppd[11225]: primary DNS address 193.41.112.14  
Jan 1 01:01:45 (none) local2.notice pppd[11225]: secondary DNS address 193.41.112.18  
Jan 1 01:01:45 (none) local2.debug pppd[11225]: Script /etc/ppp/ip-up started (pid 11261)  
Jan 1 01:01:49 (none) daemon.notice miniupnpd[11679]: HTTP listening on port 5000  
Sep 25 13:53:13 (none) local2.info pppd[11225]: System time change detected.  
Sep 25 13:53:13 (none) local2.debug pppd[11225]: Script /etc/ppp/ip-up finished (pid 11261), status = 0x0

---

Sep 25 14:53:03 (none) local2.debug pppd[11225]: rcvd [LCP TermReq id=0xa]  
Sep 25 14:53:03 (none) local2.info pppd[11225]: LCP terminated by peer  
Sep 25 14:53:03 (none) local2.debug pppd[11225]: ipcp: down  
Sep 25 14:53:03 (none) local2.info pppd[11225]: Connect time 60.0 minutes.  
Sep 25 14:53:03 (none) local2.info pppd[11225]: Sent 764676 bytes, received 3575426 bytes.  
Sep 25 14:53:03 (none) daemon.notice miniupnpd[11679]: received signal 15, good-bye  
Sep 25 14:53:11 (none) local2.debug pppd[11225]: Script /etc/ppp/ip-down started (pid 20785)  
Sep 25 14:53:11 (none) local2.debug pppd[11225]: CCP: Down event in state 1!  
Sep 25 14:53:11 (none) local2.debug pppd[11225]: sent [LCP TermAck id=0xa]  
Sep 25 14:53:11 (none) local2.debug pppd[11225]: Script /etc/ppp/ip-down finished (pid 20785), status = 0x0  
Sep 25 14:53:11 (none) local2.debug pppd[11225]: rcvd [LCP TermReq id=0xb]  
Sep 25 14:53:11 (none) local2.debug pppd[11225]: sent [LCP TermAck id=0xb]  
Sep 25 14:53:14 (none) local2.notice pppd[11225]: Connection terminated.  
Sep 25 14:53:14 (none) local2.info chat[20816]: send (\K^M)  
Sep 25 14:53:15 (none) local2.info chat[20816]: send (+++ATH0^M)  
Sep 25 14:53:15 (none) local2.info pppd[11225]: Serial link disconnected.  
Sep 25 14:53:24 (none) local2.notice pppd[11225]: Connection terminated.  
Sep 25 14:53:24 (none) local2.notice pppd[11225]: Modem hangup  
Sep 25 14:53:24 (none) local2.debug pppd[11225]: LCP: Down event in state 1!  
Sep 25 14:53:24 (none) local2.info pppd[11225]: Exit.  
Sep 25 14:53:50 (none) local2.notice pppd[20929]: pppd 2.4.4 started by root, uid 0  
Sep 25 14:53:51 (none) local2.info chat[20933]: abort on (BUSY)  
Sep 25 14:53:51 (none) local2.info chat[20933]: abort on (NO CARRIER)  
Sep 25 14:53:51 (none) local2.info chat[20933]: abort on (ERROR)  
Sep 25 14:53:51 (none) local2.info chat[20933]: report (CONNECT)  
Sep 25 14:53:51 (none) local2.info chat[20933]: timeout set to 10 seconds  
Sep 25 14:53:51 (none) local2.info chat[20933]: send (ATZ^M)  
Sep 25 14:53:51 (none) local2.info chat[20933]: expect (OK)  
Sep 25 14:53:51 (none) local2.info chat[20933]: ^M  
Sep 25 14:53:51 (none) local2.info chat[20933]: OK  
Sep 25 14:53:51 (none) local2.info chat[20933]: -- got it  
Sep 25 14:53:51 (none) local2.info chat[20933]: send (ATE0V1&F^M)  
Sep 25 14:53:51 (none) local2.info chat[20933]: expect (OK)  
Sep 25 14:53:51 (none) local2.info chat[20933]: ^M  
Sep 25 14:53:51 (none) local2.info chat[20933]: ATE0V1&F^M^M  
Sep 25 14:53:51 (none) local2.info chat[20933]: OK  
Sep 25 14:53:51 (none) local2.info chat[20933]: -- got it  
Sep 25 14:53:51 (none) local2.info chat[20933]: send (AT+CMEE=2^M)  
Sep 25 14:53:51 (none) local2.info chat[20933]: expect (OK)  
Sep 25 14:53:51 (none) local2.info chat[20933]: ^M  
Sep 25 14:53:51 (none) local2.info chat[20933]: ^M  
Sep 25 14:53:51 (none) local2.info chat[20933]: OK  
Sep 25 14:53:51 (none) local2.info chat[20933]: -- got it  
Sep 25 14:53:51 (none) local2.info chat[20933]: send (AT+CGDCONT=1,"IP","darmowy","",0,0^M)  
Sep 25 14:53:52 (none) local2.info chat[20933]: timeout set to 30 seconds  
Sep 25 14:53:52 (none) local2.info chat[20933]: expect (OK)  
Sep 25 14:53:52 (none) local2.info chat[20933]: ^M  
Sep 25 14:53:52 (none) local2.info chat[20933]: ^M  
Sep 25 14:53:52 (none) local2.info chat[20933]: OK  
Sep 25 14:53:52 (none) local2.info chat[20933]: -- got it  
Sep 25 14:53:52 (none) local2.info chat[20933]: send (ATD\*99#^M)  
Sep 25 14:53:52 (none) local2.info chat[20933]: expect (CONNECT)  
Sep 25 14:53:52 (none) local2.info chat[20933]: ^M  
Sep 25 14:53:52 (none) local2.info chat[20933]: ^M  
Sep 25 14:53:52 (none) local2.info chat[20933]: CONNECT  
Sep 25 14:53:52 (none) local2.info chat[20933]: -- got it  
Sep 25 14:53:52 (none) local2.info chat[20933]: send ( ^M)

Sep 25 14:53:52 (none) local2.info pppd[20929]: Serial connection established.  
Sep 25 14:53:52 (none) local2.debug pppd[20929]: using channel 3  
Sep 25 14:53:52 (none) local2.info pppd[20929]: Using interface ppp4  
Sep 25 14:53:52 (none) local2.notice pppd[20929]: Connect: ppp4 <--> /dev/ttyUSB0  
Sep 25 14:53:55 (none) local2.debug pppd[20929]: sent [LCP ConfReq id=0x1 <mru 1412> <asynctest 0x0> <magic 0xe55ffa60> <pcomp> <accomp>]  
Sep 25 14:53:55 (none) local2.debug pppd[20929]: rcvd [LCP ConfReq id=0xc <asynctest 0x0> <auth chap MD5> <magic 0x1639ea5> <pcomp> <accomp>]  
Sep 25 14:53:55 (none) local2.debug pppd[20929]: No auth is possible  
Sep 25 14:53:55 (none) local2.debug pppd[20929]: lcp\_reqci: returning CONFREQ.  
Sep 25 14:53:55 (none) local2.debug pppd[20929]: sent [LCP ConfReq id=0xc <auth chap MD5>]  
Sep 25 14:53:55 (none) local2.debug pppd[20929]: rcvd [LCP ConfAck id=0x1 <mru 1412> <asynctest 0x0> <magic 0xe55ffa60> <pcomp> <accomp>]  
Sep 25 14:53:55 (none) local2.debug pppd[20929]: rcvd [LCP ConfReq id=0xd <asynctest 0x0> <magic 0x1639ea5> <pcomp> <accomp>]  
Sep 25 14:53:55 (none) local2.debug pppd[20929]: lcp\_reqci: returning CONFACK.  
Sep 25 14:53:55 (none) local2.debug pppd[20929]: sent [LCP ConfAck id=0xd <asynctest 0x0> <magic 0x1639ea5> <pcomp> <accomp>]  
Sep 25 14:53:55 (none) local2.debug pppd[20929]: sent [CCP ConfReq id=0x1 <bsd v1 15>]  
Sep 25 14:53:55 (none) local2.debug pppd[20929]: sent [IPCP ConfReq id=0x1 <addr 0.0.0.0> <ms-dns1 0.0.0.0> <ms-dns2 0.0.0.0>]  
Sep 25 14:53:55 (none) local2.debug pppd[20929]: rcvd [LCP DiscReq id=0xe magic=0x1639ea5]  
Sep 25 14:53:55 (none) local2.debug pppd[20929]: rcvd [LCP ProtRej id=0xf 80 fd 01 01 00 07 15 03 2f]  
Sep 25 14:53:55 (none) local2.debug pppd[20929]: Protocol-Reject for 'Compression Control Protocol' (0x80fd) received  
Sep 25 14:53:56 (none) local2.debug pppd[20929]: rcvd [IPCP ConfNak id=0x1 <ms-dns1 0.0.0.0> <ms-dns2 0.0.0.0>]  
Sep 25 14:53:56 (none) local2.debug pppd[20929]: sent [IPCP ConfReq id=0x2 <addr 0.0.0.0> <ms-dns1 0.0.0.0> <ms-dns2 0.0.0.0>]  
Sep 25 14:53:57 (none) local2.debug pppd[20929]: rcvd [IPCP ConfNak id=0x2 <ms-dns1 0.0.0.0> <ms-dns2 0.0.0.0>]  
Sep 25 14:53:57 (none) local2.debug pppd[20929]: sent [IPCP ConfReq id=0x3 <addr 0.0.0.0> <ms-dns1 0.0.0.0> <ms-dns2 0.0.0.0>]  
Sep 25 14:53:58 (none) local2.debug pppd[20929]: rcvd [IPCP ConfNak id=0x3 <ms-dns1 0.0.0.0> <ms-dns2 0.0.0.0>]  
Sep 25 14:53:58 (none) local2.debug pppd[20929]: sent [IPCP ConfReq id=0x4 <addr 0.0.0.0> <ms-dns1 0.0.0.0> <ms-dns2 0.0.0.0>]  
Sep 25 14:53:59 (none) local2.debug pppd[20929]: rcvd [IPCP ConfNak id=0x4 <ms-dns1 0.0.0.0> <ms-dns2 0.0.0.0>]  
Sep 25 14:53:59 (none) local2.debug pppd[20929]: sent [IPCP ConfReq id=0x5 <addr 0.0.0.0> <ms-dns1 0.0.0.0> <ms-dns2 0.0.0.0>]  
Sep 25 14:54:00 (none) local2.debug pppd[20929]: rcvd [IPCP ConfReq id=0x4]  
Sep 25 14:54:00 (none) local2.debug pppd[20929]: ipcp: returning Configure-NAK  
Sep 25 14:54:00 (none) local2.debug pppd[20929]: sent [IPCP ConfNak id=0x4 <addr 0.0.0.0>]  
Sep 25 14:54:00 (none) local2.debug pppd[20929]: rcvd [IPCP ConfNak id=0x5 <addr 37.209.144.37> <ms-dns1 193.41.112.14> <ms-dns2 193.41.112.18>]  
Sep 25 14:54:00 (none) local2.debug pppd[20929]: sent [IPCP ConfReq id=0x6 <addr 37.209.144.37> <ms-dns1 193.41.112.14> <ms-dns2 193.41.112.18>]  
Sep 25 14:54:00 (none) local2.debug pppd[20929]: rcvd [IPCP ConfReq id=0x5]  
Sep 25 14:54:00 (none) local2.debug pppd[20929]: ipcp: returning Configure-ACK  
Sep 25 14:54:00 (none) local2.debug pppd[20929]: sent [IPCP ConfAck id=0x5]  
Sep 25 14:54:00 (none) local2.debug pppd[20929]: rcvd [IPCP ConfAck id=0x6 <addr 37.209.144.37> <ms-dns1 193.41.112.14> <ms-dns2 193.41.112.18>]  
Sep 25 14:54:00 (none) local2.debug pppd[20929]: ipcp: up  
Sep 25 14:54:00 (none) local2.warn pppd[20929]: Could not determine remote IP address: defaulting to 10.64.64.68  
Sep 25 14:54:00 (none) local2.notice pppd[20929]: local IP address 37.209.144.37  
Sep 25 14:54:00 (none) local2.notice pppd[20929]: remote IP address 10.64.64.68  
Sep 25 14:54:00 (none) local2.notice pppd[20929]: primary DNS address 193.41.112.14  
Sep 25 14:54:00 (none) local2.notice pppd[20929]: secondary DNS address 193.41.112.18  
Sep 25 14:54:00 (none) local2.debug pppd[20929]: Script /etc/ppp/ip-up started (pid 20965)  
Sep 25 14:54:05 (none) daemon.notice miniupnpd[21392]: HTTP listening on port 5000  
Sep 25 14:54:10 (none) local2.debug pppd[20929]: Script /etc/ppp/ip-up finished (pid 20965), status = 0x0